

Modern Technology of Paints, Varnishes & Lacquers (3rd edition)

Author: P.K. Tripathi

Format: Paperback

ISBN: 978-81-957447-2-5

Code: NI345

Pages: 616

Price: Rs. 2,200.00 US\$ 54.00

Publisher: Asia Pacific Business Press Inc.

Usually ships within 5 days

Modern Technology of Paints, Varnishes & Lacquers 3rd edition

(Solvents, Plasticizers, Distempers, Whitewash, Putties & Emulsion, Lacquers, Primers, Powder Coatings, Pigments, Alkyd Resin, Solvent-type Resins, Hydrocarbon Thinners, Epoxy Resins with Formulations, Machinery Equipment Details and Factory Layout)

Paints, varnishes, and lacquers are chemicals or substances that you can use to change the color, texture or shine of a surface. These materials can be applied to a wide range of surfaces, including those made of metal, wood, paper, and plastic. They can be used to paint canvas works of art, to coat beautiful things with a layer of protection, or for practical uses like polishing furniture. The most popular kind of paints are oil-based paints, which are created using pigments that, when dried, leave an oily layer on the surface. Due to their lower levels of toxicity as compared to paintings made with an oil base, acrylics have grown in popularity in recent years.

Paints, varnishes, and lacquers are essential supplies for any job involving home décor. Numerous colours are available for these products to match any style. Additionally, you can choose the finish that best meets your needs because they come in a variety of finishes. These products come in a variety that makes it simple to obtain just what you need without having to purchase numerous different things. These paints, varnishes, and lacquers are not only long-lasting but also simple to use thanks to current technology.

The size of the global market for paints, varnishes, and lacquers is anticipated to increase at a CAGR of 7.8%. The demand is on the rise, and technological developments in the paint business are the main drivers of this expansion. Global population growth is also driving up demand for residential and commercial real estate, which will drive up demand for paints, varnishes, and lacquers globally. This sector's growth can be attributed to a variety of factors. More paints, varnishes, and lacquers will be required when there is a rise in the demand for new housing due to population growth. As homeowners attempt to make their homes appear newer with fresh coats of paint, industry analysts predict that sales will increase even further. In order to meet the expectations of the market, manufacturers must also adapt. While they look for new markets to supply, they have been investing in machinery and extending their manufacturing lines. In fact, it's one of the fastest-growing manufacturing industries. This industry not only has a high growth rate but also offers tremendous opportunities for entrepreneurs to enter this booming business. Modern paint, varnish, and lacquer technologies have made it simpler for people to design unique paint jobs for use on furniture. Due to the low entrance requirements, this industry benefits entrepreneurs, to launch your business.

The Major Contents of the books are Solvents, Plasticizers, Distempers, Whitewash, Putties & Emulsion, Lacquers, Primers, Powder Coatings, Pigments, Alkyd Resin, Solvent-type Resins, Hydrocarbon Thinners,

Epoxy Resins with Formulations, Factory Layout, and Photographs of Machinery with Supplier Contact Information.

A comprehensive reference to manufacturing and entrepreneurship in the Paints, Varnishes & Lacquers products business. This book is a one-stop shop for everything you need to know about the Paints, Varnishes & Lacquers products manufacturing industry, which is ripe with potential for manufacturers, merchants, and entrepreneurs. This is the only comprehensive guide to commercial Paints, Varnishes & Lacquers products manufacture. It provides a feast of how-to knowledge, from concept through equipment purchase.

Contents

Contents

1. INTRODUCTION

1.1 Components

1.1.1 Vehicle

1.1.2 Binder or Film Former

1.1.3 Diluent or Solvent or Thinner

1.2 Pigment, Dye and Filler

1.3 Additives

1.4 Color Changing

1.5 Art

1.6 Application

1.7 Product Variants

1.8 Finish Types

1.9 Failure

1.9.1 Dilution

1.9.2 Contamination

1.9.3 Peeling/Blistering

1.9.4 Chalking

1.9.5 Cracking

1.9.6 Erosion

1.10 Types of Paint

1.10.1 Oil Paint

1.10.2 Emulsion Paint

1.10.3 Enamel Paint

1.10.4 Bituminous Paint

1.10.5 Aluminium Paint

1.10.6 Anti-Corrosive Paint

1.10.7 Synthetic Rubber Paint

1.10.8 Cement Paint

1.10.9 Speciality Home Paints: Lasts Long, Protects Longer

1.11 Properties

1.11.1 Wear Ability

1.11.2 Covering Ability

1.11.3 Ease of Cleaning

1.11.4 Environmentally Friendly

1.11.5 Aesthetic

1.11.6 Practical and Cost Effective

1.12 Paint Compositions and Their Functions in Paints

1.12.1 Pigments

1.13 Prime Pigments

- 1.13.1 Extender Pigments
- 1.14 Inorganic Pigments in Pictures
- 1.15 Organic Pigments in Pictures
- 1.15.1 Binders
- 1.15.2 Linseed Oil
- 1.16 Tips & Techniques
- 1.16.1 Safflower Oil
- 1.16.2 Acrylic Resin Dispersion
- 1.16.3 Gum Arabic
- 1.16.4 Kaolin
- 1.16.5 Waxes
- 1.16.6 Dextrin
- 1.16.7 Schellac
- 1.16.8 Alkyd Resin
- 1.16.9 Alkyd Polymers (Resins)
- 1.16.10 Epoxy Polymers (Resins)
- 1.16.11 Liquid Metal Paint
- 1.17 Types of Liquid Metal Paint
- 1.17.1 Liquid Epoxy Coating
- 1.17.2 Polyurethane Coating
- 1.17.3 Polyaspartic Coating
- 1.18 Common Uses of Liquid Metal Paint
- 1.19 Additives
- 1.19.1. Environmental Issues Determine the Development Trend of Coatings
- 1.19.2 Additive Types and Effects
- 2. PAINT PRODUCTION PROCESS
- 2.1 Raw Materials
- 2.2 Laboratory
- 2.3 Weighing the Raw Materials
- 2.4 Dispersion
- 2.5 Pre-Mixing
- 2.6 Grinding the Pigments
- 2.7 Fineness Inspection
- 2.8 Colour Inspection
- 2.9 Stability Inspection
- 2.10 Filling
- 3. HOW TO START A PAINTING BUSINESS?
- 3.1 Steps
- 3.1.1 Step 1: The Fundamentals
- 3.1.2 Step 2: Sign Up for a Business Name
- 3.1.3 Step 3: Choose the Best Painting Services and Desired Target Market
- 3.1.4 Step 4: Register Business and Purchase Insurance
- 3.1.5 Step 5: Purchase Essential Painting Materials
- 3.1.6 Step 6: Establish a Business Bank Account
- 3.1.7 Step 7: Hire Painters
- 3.1.8 Step 8: A Marketing Strategy for Painting Company
- 4. OILS USED IN PAINTS AND VARNISHES
- 4.1 Drying Oils
- 4.1.1 Linseed Oil
- 4.1.2 Boiled Oil from Linseed Oil
- 4.1.3 Blown Oil from Linseed Oil

- 4.1.4 Stand Oil from Linseed Oil
- 4.1.5 Perilla Oil
- 4.2 Conjugated Oils
 - 4.2.1 Tung Oil
 - 4.2.2 Oiticica Oil
 - 4.2.3 Kamla Seed Oil
 - 4.2.4 Dehydrated Castor Oil or D.C.O.
- 4.3 Semi Drying Oils
 - 4.3.1 Soyabean Oil
 - 4.3.2 Safflower Oil
 - 4.3.3 Tobacco Seed Oil
 - 4.3.4 Sunflower Oil
 - 4.3.5 Cotton Seed Oil
 - 4.3.6 Fish Oil
- 4.4 Non-Drying Oils
 - 4.4.1 Castor Oil
 - 4.4.2 Coconut Oil
- 4.5 Derivatives of Drying Oils
 - 4.5.1 Maleic Treated oil
 - 4.5.2 Styrenated Oils
 - 4.5.3 Exttraction of Oil
- 4.6 Refining of Oils
 - 4.6.1 Mechanical Refining
 - 4.6.2 Acid Refining
 - 4.6.3 Alkali Refining
- 5. SOLVENTS
 - 5.1 Hydrocarbons
 - 5.1.1 White Spirits
 - 5.1.2 Toluene ($C_6H_5CH_3$)
 - 5.1.3 Xylene ($C_6H_4(CH_3)_2$)
 - 5.1.4 Benzene (C_6H_6)
 - 5.1.5 Water White Kerosene
 - 5.2 Ketones
 - 5.2.1 Acetone ($CH_3.CO.CH_3$)
 - 5.2.2 Methyl Ethyl Ketone ($CH_3-C-CH_2-CH_3$)
 - 5.2.3 Methyl Isobutyl Ketone (M.I.B.K.)
[$CH_3COCH_2CH(CH_3)_2$]
 - 5.2.4 Di-isobutyl Ketone
 - 5.3 Esters
 - 5.3.1 Ethyl Acetate ($CH_3COOC_2H_5$)
 - 5.3.2 Amyl Acetae ($CH_3-C-O-CH_2CH_2CH_2CH_3$)
 - 5.3.3 Butyl Acetate ($CH_3COOC_4H_9$)
 - 5.3.4 Propyl Acetate ($CH_3-C-O-CH_2-CH_2-CH_3$)
 - 5.4 Glycol Ethers
 - 5.4.1 Methyl Cellosolve ($CH_3-O-CH_2-CH_2-OH$)
 - 5.4.2 Ethylene Glycol Monoethyl Ether
($CH_3-CH_2-O-CH_2-CH_2-OH$) or Celloslve
 - 5.4.3 Carbitol: Diethylene Glycol Monoethyl Ether
($CH_3-CH_2-O-CH_2-CH_2-O-CH_2-CH_2-OH$)
 - 5.5 Alcohols
 - 5.5.1 Ethyl Alcohol (CH_3-CH_2-OH)
 - 5.5.2 Isopropyl Alcohol ($CH_3-CH-CH_3$)
 - 5.5.3 Butyl Alcohol (C_4H_9OH)

- 5.6 Terpenes
 - 5.6.1 Turpentine
 - 5.6.2 Dipentene
 - 5.6.3 Pine Oil
- 6. PLASTICIZERS
 - 6.1 General Properties of Plasticizers
 - 6.1.1 Di-(2 Ethyl Hexyl) Phthalate
 - 6.1.2 Butyl Benzyl Phthalate
 - 6.1.3 Tricresyl Phosphate
 - 6.1.4 Triphenyl Phosphate
 - 6.1.5 Butyl Stearate
- 7. ADDITIVES IN SURFACE COATINGS
 - 7.1 Some important Additives
 - 7.2 Driers
 - 7.3 Wetting and Dispersing Agents
 - 7.4 Anti Skinning Agents
 - 7.5 Anti Settling Agents
 - 7.6 Antifloating and Antiflooding Agents
 - 7.7 Levelling and Flow Control Agents
 - 7.8 Defoaming Agents
 - 7.9 Preservative and Fungicides
- 8. FORMULARY WITH PROCESSES OF DISTEMPERS, WHITEWASH, PUTTIES & EMULSION
 - 8.1 White Distemper
 - 8.2 Sky Blue Distemper
 - 8.3 Yellow Distemper
 - 8.4 Method of Preparation
 - 8.5 White Wash
 - 8.6 Putties (U.S. Patent 2,346, 408)
 - 8.7 Preventing Putty Sticking to Hands
 - 8.8 Alberene Stone Filler or Cement
 - 8.9 Non-Freezing Putty (Dutch Patent 67, 940)
 - 8.10 Modified Putty
 - 8.11 Emulsion Paints
- 9. FORMULATIONS
 - 9.1 Enamels
 - 9.1.1 Transparent Enamel
 - 9.1.2 To Prepare Enamels in Different Colours
 - 9.2 Floor Paints
 - 9.3 Luminous Paints
 - 9.4 Paint for Structural Steel
 - 9.5 Window Paint (Temporary)
 - 9.6 Luminous Artists Oil Colours
 - 9.7 Latex Semi-Gloss White Paint
 - 9.8 Asbestos Paints
 - 9.9 Mica Lustre Paint
 - 9.10 Fire Resistant Coating
 - 9.11 To Clean Paint Brushes
 - 9.12 Water Emulsion Paints for Exterior Use
 - 9.13 Lacquers
 - 9.13.1 Wood Lacquer
 - 9.13.2 Metal Lacquer
- 10. LACQUERS

- 10.1 Cellulose Products
- 10.2 Ethyl Cellulose
- 10.3 Lacquer Manufacture
- 10.4 Merits of Cellulose Lacquers
- 10.5 Aeroplane Lacquer
- 10.6 Book Lacque
- 10.7 Varnishes
- 10.8 Different kinds of Varnishes
- 10.9 Oil Varnish
- 10.10 Turpentine Varnish
- 10.11 Spirit Varnish
- 10.12 Water Varnish
- 10.13 Oil Varnishes
 - 10.13.1 Resins
 - 10.13.2 Drying Oils
 - 10.13.3 Dryer
 - 10.13.4 Thinners
- 10.14 Preparation of Oil Varnishes
- 10.15 Gum Running
- 10.16 Addition of Drying Oils
- 10.17 Thinning
- 10.18 Maturing
- 10.19 Different kinds of Oil Varnishes
- 10.20 Exterior Varnish
- 10.21 Interior Decorators Varnish
- 10.22 Rubbing Varnish
- 10.23 Polishing Varnish
- 10.24 Flat Varnish
- 10.25 Gold Size
- 10.26 Black Varnish
- 10.27 Formulas of Oil Varnishes
- 10.28 Spirit Varnish or Lacquer
- 10.29 Resins
- 10.30 Solvents
- 10.31 Plasticizers
- 10.32 Alcohol Varnish
- 10.33 Turpentine Varnishes
- 10.34 French Varnish
- 10.35 Varnish prepared from Synthetic Resins
- 10.36 Spar Varnish
- 10.37 Process
- 11. PAINT MANUFACTURING DIFFERENT TYPES OF PAINTS
AND VARIOUS FORMULATIONS
 - 11.1 Premixing
 - 11.2 Commonly Used Machines for Pre-Mixing
 - 11.3 Precautions Taken during Premixing Operation
 - 11.4 Grinding Operation
 - 11.5 Precaution Taken
 - 11.6 Thinning
 - 11.7 Precaution
 - 11.8 Tinting Operation
 - 11.9 Precautions Taken
 - 11.10 Refining

- 11.11 Filling
- 11.12 Labelling and Packing
- 11.13 Oil Based Paints
- 11.14 Typical Formulations
- 11.15 Modern Gloss Finishes
- 11.16 Heat Resisting Paints
- 11.17 Flame Retardant Paints
- 11.18 Plastic Paints
- 11.19 Floor Paints
- 11.20 Types of Floor Paints
- 11.21 Primary Requirements for Floor Paints
- 11.22 Flat Paints
- 11.23 Flat Oil Paint
- 11.24 Aluminium Paint
- 11.25 Wrinkle Finishes
- 11.26 Hammer Finishes
- 11.27 Marine Coatings
 - 11.27.1 Introduction
- 11.28 Ship Paints
- 11.29 Hull Paints
- 11.30 Top Sides Finish
- 11.31 Boot Topping Paints
- 11.32 Marine Paint to Resist Sea Water
- 11.33 Antifouling Paints
- 11.34 Anti-Corrosive Paints
- 11.35 Road Marking Paints
- 11.36 Chemical Resistant Coatings
- 11.37 Synthetic Enamel Paints
- 11.38 Bituminous Coatings
- 11.39 High solids Finishes
- 11.40 Curing Agent
- 11.41 Graphite and Graphite Paints
- 11.42 Graphite Paints
- 12. PRIMERS
 - 12.1 Primer for Metals
 - 12.2 Types of Primers
 - 12.2.1 Blast Primers
 - 12.3 Metallic Zinc Primers
 - 12.4 Red Oxide/Zinc Chrome Primers
 - 12.5 Lead Based Primer
 - 12.6 Wash Primer
 - 12.7 Reactions
 - 12.8 Primers for Wood
 - 12.9 Leadless Primers
 - 12.10 Aluminium Primer
 - 12.11 Emulsion Primers
 - 12.12 Wall Primers & Sealers
- 13. POWDER COATINGS
 - 13.1 Thermoplastic Coatings
 - 13.2 PVC Coatings
 - 13.3 Polyamides
 - 13.4 Polyethylene
 - 13.5 Cellulose Esters

- 13.6 Polyesters
- 13.7 Thermosetting Coating Powders
- 13.8 Epoxy Powder Coatings
- 13.9 Polyurethane
- 13.10 Acrylic Resins
- 13.11 Formulation of Powder Coatings
- 13.12 Manufacturing Process
- 13.13 Ingredients Required
 - 13.13.1 Melt Mixing Process
- 13.14 Application Method
- 13.15 Fluidized Bed Coating
- 13.16 Electrosatic Fludized Bed Coatings
- 13.17 Electrostatic Spray Coating
- 13.18 Flame Spraying
- 13.19 Test Methods
- 13.20 Future Trend
- 14. PIGMENTS—GENERAL CLASSIFICATION AND DESCRIPTION
- 14.1 Definition of Paint
- 14.2 Purposes of Pigments in Paint
- 14.3 Tyeps of Pigments
- 14.4 Principles of Hiding Power
- 14.5 Hiding Power of Paint
- 14.6 Extender Pigments
 - 14.6.1 General Properties of Extenders
- 14.7 Pigment Manufacturing
 - 14.7.1 Silicate Pigments
 - 14.7.2 Barium Sulfate Pigments
 - 14.7.3 Calcium Sulfate Pigments
 - 14.7.4 Calcium Carbonate Pigments
 - 14.7.5 Specific Extenders
 - 14.7.6 The Future of Extender Pigment Technology
- 15. WHITE HIDING PIGMENT
- 16. ORGANIC TONERS AND MINERAL PIGMENTS
- 16.1 Color Blending
- 16.2 Metallic Pigments
- 16.3 Blacks
- 16.4 Earth Colors
- 16.5 Inorganic Blues
- 16.6 Organic Blues
- 16.7 Browns
- 16.8 Greens
- 16.9 Organic Greens
- 16.10 Marron Pigments
- 16.11 Oranges
- 16.12 Reds
- 16.13 Violets
- 16.14 Yellows
- 17. ALKYD RESIN TECHNOLOGY
- 18. SOLVENT-TYPE RESINS
 - 18.1 Brush Lacquers
 - 18.2 Ethyl Cellulose and “Parlon”
 - 18.2.1 Ethyl Cellulose
 - 18.3 “Parlon”

- 18.4 Vinyl Resins, Polystyrene and Styrene Resins, Acrylate and Methacrylate Resins, Allyl Resins, Pliolite, And Silicone Resins
 - 18.4.1 Vinyl Resins
- 18.5 Polystyrene and Styrene Resins
- 18.6 Acrylate and Methacrylate Resins
- 18.7 Allyl Resins
- 18.8 “Pliolite”
- 18.9 Silicone Resins
- 19. HYDROCARBON THINNERS
 - 19.1 Volatile Lubricants
 - 19.2 Measures of Solvency
 - 19.3 Composition
 - 19.4 Viscosity Reduction
 - 19.5 Tests for Purity
 - 19.6 Volatility
 - 19.7 Conclusion
- 20. FORMULATION OF THE “VOLATILES” IN NITROCELLULOSE LACQUERS
 - 20.1 Solvents and Diluents
 - 20.2 Viscosity
 - 20.3 Toluene vs. Naphtha
 - 20.4 Effect of Resins
 - 20.5 Flow
 - 20.6 Latent Solvents
 - 20.7 Evaporation
 - 20.8 Orange Peel
 - 20.9 Diluents
 - 20.10 Viscosity
 - 20.11 Blushing
 - 20.12 Thinners
 - 20.12.1 Typical Solvent Formulas
- 21. THE TESTING OF RAW MATERIALS
 - 21.1 Reasons for Testing Raw Materials
 - 21.2 Completeness of Testing
 - 21.3 Solvents
 - 21.3.1 Drying Oils
 - 21.4 Resins
 - 21.5 Conclusion
- 22. RESIN AND VARNISH MANUFACTURE
 - 22.1 Tung Oil
 - 22.2 Oiticica Oil
 - 22.3 Perilla and Linseed Oils
 - 22.4 Other Oils
 - 22.5 Oil-Resin Combinations
 - 22.6 Spar Varnishes
 - 22.7 Floor Varnishes
 - 22.8 Application Methods
- 23. WATER AND EMULSION PAINTS
- 24. EPOXY RESINS
 - 24.1 Physical and Chemical Characteristics of Epoxy Resins
 - 24.1.1 Manufacture
 - 24.1.2 Curing Mechanisms

- 24.1.3 Other Epoxy Resins
- 24.2 Two-Package or Amine-Cured Epoxy Coatings
 - 24.2.1 Basic Curing Mechanism and Curing Agent Requirements
 - 24.2.2 Curing Agent Selection
 - 24.2.3 Selection of Epoxy Resin Type
 - 24.2.4 Solvent Selection
 - 24.2.5 Two-Package Maintenance Coatings
 - 24.2.6 Heavy-Duty Coatings
 - 24.2.7 Trade Sales Formulations
 - 24.2.8 Epoxy/Coal Tar Coatings
 - 24.2.9 Solventless and Super-High Solids Coatings
 - 24.2.10 Zinc-Rich Epoxy Primers
 - 24.2.11 Government Specifications
- 24.3 Epoxy Esters
 - 24.3.1 Selection of Epoxy Resins and Acids for Esterification
 - 24.3.2 Formulation Principles and Calculations
 - 24.3.2 Manufacturing Procedure
 - 24.3.3 Drier Selection
 - 24.3.4 Epoxy Esters from Liquid Epoxy Resins
- 24.4 High-Performance Baking Finishes
 - 24.4.1 Epoxy-phenolic Coatings
 - 24.4.2 Preparation
 - 24.4.3 Amino Resin-Converted Epoxy Coatings
 - 24.4.4 Use of Epoxy Resins with Thermosetting Acrylics
- 24.5 Other Types of Epoxy Coatings
 - 24.5.1 Epoxy Powder Coatings
 - 24.5.2 Epoxy/Polyamide-Splash Zone Coatings
 - 24.5.3 Thermoplastic Epoxy Resin Coatings
- 25. WHITE PIGMENTS
 - 25.1 Opacity
 - 25.2 The Reactive White Pigments
 - 25.2.1 Basic Carbonate White Lead
 - 25.2.2 Basic Sulfate White Lead
 - 25.2.3 Basic Silicate White Lead
 - 25.2.4 Dibasic Lead Phosphite
 - 25.2.5 Zinc Oxide
 - 25.2.6 Leaded Zinc Oxide
 - 25.2.7 Antimony Oxide
 - 25.3 The Nonreactive White Pigments
 - 25.3.1 Zinc Sulfide
 - 25.3.2 Lithopone
 - 25.3.3 Titanium Pigments
- 26. COLOURED PIGMENTS
 - 26.1 Chrome Yellows
 - 26.2 Zinc Yellows
 - 26.3 Strontium Yellow
 - 26.4 Nickel Titanate Yellow
 - 26.5 Nickel Azo Yellow
 - 26.6 Cadmium Yellow
 - 26.7 Yellow Iron Oxide
 - 26.8 Hansa Yellows
 - 26.9 Benzidine Yellows

- 26.10 Vat Yellows
- 26.11 Chrome Orange
- 26.12 Molybdate Orange
- 26.13 Cadmium Orange
- 26.14 "Mercadium" Orange
- 26.15 Benzidine Orange
- 26.16 Dinitraniline Orange
- 26.17 Vat Dye Oranges
- 26.18 Chrome Greens
- 26.19 Chromium Oxide
- 26.20 Hydrated Chromium Oxide
- 26.21 Copper Phthalocyanine Green
- 26.22 Organic Green Toners
- 26.23 Iron Blues
- 26.24 Copper Phthalocyanine Blues
- 26.25 Ultramarine Blue
- 26.26 Organic Blue Toners
- 26.27 Indanthrone Blue
- 26.28 Carbazole Dioxazine Violet
- 26.29 Organic Violet Toner
- 26.30 Mineral Violet
- 26.31 Quinacridone Violet
- 26.32 Lithols
- 26.33 Para Reds
- 26.34 Toluidine Reds
- 26.35 Lithol Rubine
- 26.36 Chlorinated Para Red
- 26.37 Quinacridone Reds and Maroons
- 26.38 Red Iron Oxide
- 26.39 Cadmium Red and Maroons
- 26.40 "Mercadium" Reds and Maroons
- 26.41 Red Lead
- 26.42 Thioindigo Reds and Maroons
- 26.43 Arylide Maroons
- 26.44 Siennas, Ochres and Umbers
- 26.45 Carbon Blacks, Lampblacks and Bone Blacks
- 26.46 Tinting Properties of Colored Pigments
- 27. PAINT FORMULATION
- 27.1 Art
- 27.2 Science
- 27.3 Raw Materials
- 27.4 Manufacture
- 27.5 Cost
- 27.6 Performance
- 27.7 Principles
- 27.8 Pigment Volume Concentration
- 27.9 Critical Pigment Volume Concentration
- 27.10 Pigments
- 27.11 Vehicle
- 27.12 Solvents and Driers
- 27.13 Formulation Example
- 27.14 White House Paint
- 27.15 Computer

- 28. PIGMENT DISPERSION
 - 28.1 Definition
 - 28.2 Method
 - 28.3 Equipment
 - 28.4 Mill Base Formulation
 - 28.5 Setting Up a Laboratory Formula
 - 28.6 Equipment Setups and Limitations
 - 28.7 Tank Configuration
 - 28.8 Premixers
 - 28.9 Conclusions
- 29. EMULSION PAINTS
 - 29.1 Ingredients of an Emulsion Paint
 - 29.1.1 Surfactants
 - 29.1.2 Behavior of Emulsions
 - 29.1.3 Protective Colloid
 - 29.1.4 pH
 - 29.2 Emulsion Formation
 - 29.2.1 Emulsion Polymerization
 - 29.2.2 Ingredients
 - 29.2.3 Post-Emulsification
 - 29.3 Stability of Emulsions
 - 29.4 Phase Volume
- 30. ALUMINUM PIGMENTS AND PAINTS
 - 30.1 History
 - 30.2 Methods of Manufacture
 - 30.3 Properties and Characteristics of the Pigment
 - 30.3.1 Particle Size Characteristics
 - 30.3.2 Light Reflectance
 - 30.3.3 Heat Reflectance
 - 30.3.4 Water Permeability
 - 30.3.5 Density
 - 30.3.6 Chemical Characteristics
 - 30.3.7 Leafing Layer
 - 30.3.8 Leafing Stability
 - 30.3.9 Toxicity Hazards
 - 30.4 Aluminium Pigment Products
 - 30.4.1 Standard Products
 - 30.4.2 Special Products
 - 30.5 Testing Aluminum Pigments
 - 30.6 Aluminum Paints
 - 30.6.1 Maintenance Paints
 - 30.6.2 Heat-Resistant Aluminum Paints
 - 30.6.3 Trade Sales and Aerosol Paints
 - 30.6.4 Colored Aluminum Paints
 - 30.6.5 Roof-Coatings
 - 30.6.6 Aluminum Priming Paints
 - 30.6.7 Industrial Finishing
 - 30.6.8 Hammer Finishes
 - 30.6.9 Colored Metallescent Enamels
 - 30.6.10 Flamboyant Finishes
 - 30.6.11 Brilliant or Chrome Finishes
 - 30.7 Application Methods
- 31. BIS SPECIFICATIONS

32. ISO STANDARDS

33. FACTORY LAYOUT

34. PHOTOGRAPHS OF PLANT AND MACHINERY WITH SUPPLIER'S CONTACT DETAILS

- Alkyd Resin Plant
- Paint Making Machine
- Paint Manufacturing Machine
- Paint Manufacturing Plant
- Thermoplastic Paint Making Machine
- Floor Paint Making Machine
- Lacquer Coating Making Machine
- Coating Varnishing Machine
- Roll Varnish Machine
- Impregnation Vessel
- Vacuum Pressure Impregnation System
- Varnish Plate Making Equipment
- Solvent Packaging Machine
- Surface Protection Film Coating Machine
- Primer Making Machine
- Thinner Filling Machine
- Pigment Color Mixer Machine
- Roll Mill
- Colloid Mill Machine
- Paint Filtration Machine

About NIIR

NIIR PROJECT CONSULTANCY SERVICES (NPCS) is a reliable name in the industrial world for offering integrated technical consultancy services. NPCS is manned by engineers, planners, specialists, financial experts, economic analysts and design specialists with extensive experience in the related industries.

Our various services are: Detailed Project Report, Business Plan for Manufacturing Plant, Start-up Ideas, Business Ideas for Entrepreneurs, Start up Business Opportunities, entrepreneurship projects, Successful Business Plan, Industry Trends, Market Research, Manufacturing Process, Machinery, Raw Materials, project report, Cost and Revenue, Pre-feasibility study for Profitable Manufacturing Business, Project Identification, Project Feasibility and Market Study, Identification of Profitable Industrial Project Opportunities, Business Opportunities, Investment Opportunities for Most Profitable Business in India, Manufacturing Business Ideas, Preparation of Project Profile, Pre-Investment and Pre-Feasibility Study, Market Research Study, Preparation of Techno-Economic Feasibility Report, Identification and Section of Plant, Process, Equipment, General Guidance, Startup Help, Technical and Commercial Counseling for setting up new industrial project and Most Profitable Small Scale Business.

NPCS also publishes various process technology, technical, reference, self employment and startup books, directory, business and industry database, bankable detailed project report, market research report on various industries, small scale industry and profit making business. Besides being used by manufacturers, industrialists and entrepreneurs, our publications are also used by professionals including project engineers, information services bureau, consultants and project consultancy firms as one of the input in their research.

Our Detailed Project report aims at providing all the critical data required by any entrepreneur vying to venture into Project. While expanding a current business or while venturing into new business, entrepreneurs are often faced with the dilemma of zeroing in on a suitable product/line.

